BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, please do not report the images to the Image Problem Mailbox.


10
14
18
DISPLAY
16
INPUT DEVICE
20
MEDICAL DEVICE
12

FIG. 1


30
32
34
38
DISPLAY
36
INPUT DEVICE

FIG. 2


10
44
54
DISPLAY
52
INPUT DEVICE
55
20
42
46
40
48
POWER SUPPLY
ICD

FIG. 3


24
Utilities
Tachy Mode
Monitor only
Surface
Atrial
Vent
A/V
A/S
V/S
AS VS
74
76
78
70
72
125 bpm VT-1
145 bpm VT
165 bpm
2.5 sec SRD
V>A, A Fib, Onset
2.5 sec
1.0 sec
ATP 5J 10J 31J
AT PX2 5J 10J 31J
10J 20J 31J+
Zones
1
2
3
Dx
Rx
DDDR
60-90 ppm
MTR 80 ppm
VT-1 Detection
Initial Detection
Present Change
Rate 145
Interval 414
Duration 2.5
bpm
ms
sec
Redetection
Present Change
Redetection Duration 1.0
Post-shock Duration 1.0
sec
sec
94
Present Change
Detection Enhancements On
Atrial Tachyarrhythmia Discrimination
Sinus Tachycardia Discrimination
90
Cancel Changes
82
System Summary
Quick Check
Tachy Parameters
Brady Parameters
Setup
Therapy History
Diagnostic Evaluation
EP Test
86
84
80
88

FIG. 4


Utilities
Tachy Mode
Monitor only
Surface
Atrial
Vent
A/V
A/S
V/S
AS VS
Zones
DDDR
60-90 ppm
MTR 80 ppm
Dx
Rx
125 bpm VT-1
145 bpm VT
165 bpm
2.5 sec SRD
V>A, A Fib, Onset
2.5 sec
1.0 sec
ATP 5J 10J 31J
AT PX2 5J 10J 31J
10J 20J 31J+
VT-1 Detection
Initial Detection
Rate
Interval
Duration
Present Change
145 bpm
414 ms
2.5 sec
Redetection
Redetection Duration 1.0 sec
Post-shock Duration 1.0 sec
94
Detection Enhancements On
Atrial Tachyarrhythmia Discrimination
Sinus Tachycardia Discrimination
90
88
Cancel Changes
System Summary
Quick Check
Tachy Parameters
Brady Parameters
Setup
Therapy History
Diagnostic Evaluation
EP Test

FIG. 5


92
VT-1 Detection Enhancements
Initial
Present
On
Off
10
9 %
0.30
Change
Redetection
Present
On
10
9
0.30
Change
Close
Cancel Changes
or
bpm
ms
m/s
Post-Shock
Rate > A Rate
%Fib Rate Threshold
Stability
And
Onset
Sustained Rate Duration

FIG. 6


92
VT Detection Enhancements
Initial
Present
10
Change
M2
Close
Cancel Changes

FIG. 7


100
Normal:
DDI
Post-shock:
DDD
Temporary
Parameter Interaction
Warning(s)
102
To improve ventricular sensing,
VPP should be < pre-half of MTR (ms).
104
Normal Brady Minimum Dynamic VPP
106
Normal Brady Max Tracking Rate
108
Interval
108
Post-shock Brady Minimum Dynamic VPP
106
Post-shock Brady Max Tracking Rate
108
Interval
108
To improve ventricular sensing while atrial pacing
(resulting in ventricular blanking),
Present
110
Change
112
ms
240
ms
120
ppm
500
ms
140
ms
428
ms
240
ms
140
ppm
428
ms
Close
Refresh

FIG. 8


100
Parameter Interaction
Warning(s)
To improve ventricular sensing,
VPP should be < pre-half of MTP (ms).
102
104
Normal Brady Minimum Dynamic VPP
106
Normal Brady Max Tracking Rate
108
114
Post-shock Brady Minimum Dynamic VPP
116
Post-shock Brady Max Tracking Rate
108
Interval
108
To improve ventricular sensing while atrial pacing
Present
Change
112
110
240
120
500
ms
ppm
ms
ms
ppm
ms
140
428
240
120
500
Refresh
Close

FIG. 9


100
Parameter Interaction
Brady
MTR must be < tachy rate threshold - 5 bpm.
102
104
Normal Brady Max Tracking Rate
106
VT-1 Rate
108
Warning(s)
102
To improve ventricular sensing,
VRP should be < one-half of MTR (ms).
104
106
Normal Brady Minimum Dynamic VRP
Normal Brady Max Tracking Rate
108
Interval
Present
Change
120
140
ppm
125
bpm
Present
110
Change
112
240
ms
120
140
ppm
500
428
ms
Close
Refresh

FIG. 10